


# KAJ

CAST IRON SINGLE SEAL SOLID TOP  
MANHOLE COVER & FRAME AS PER  
BS-EN 124 OR BS-497-76 SPECIFICATION



PRODUCT CODE	GRADE AS PER BS-EN124	CLEAR OPENING A (MM)	OVERALL BASE B (MM)	HEIGHT C (MM)	SEAL TYPE	GRADE AS PER BS-497-	APPX. WEIGHT KG ±5%
KAJ - 1001	A15	300X300	360X360	25	SINGLE SEAL	C	7
KAJ - 1002	A15	300X300	370X370	40	SINGLE SEAL	C	11
KAJ - 1003	A15	300X300	370X370	40	SINGLE SEAL	C	13
KAJ - 1004	A15	300X300	370X370	40	SINGLE SEAL	C	15
KAJ - 1005	B125	300X300	370X370	45	SINGLE SEAL	B	20
KAJ - 1006	C250	300X300	395X395	75	SINGLE SEAL	A	38
KAJ - 1007	A15	400X400	455X455	25	SINGLE SEAL	C	15
KAJ - 1008	B125	400X400	455X455	40	SINGLE SEAL	B	25
KAJ - 1009	A15	450X450	525X525	45	SINGLE SEAL	C	28
KAJ - 1010	B125	450X450	525X525	50	SINGLE SEAL	B	38
KAJ - 1011	C250	450X450	555X555	75	SINGLE SEAL	A	60
KAJ - 1012	A15	450X600	530X680	30	SINGLE SEAL	C	21
KAJ - 1013	A15	500X500	565X565	25	SINGLE SEAL	C	28
KAJ - 1014	A15	600X600	660X660	30	SINGLE SEAL	C	32
KAJ - 1015	A15	600X600	660X660	35	SINGLE SEAL	C	42
KAJ - 1016	B125	600X600	720X720	75	SINGLE SEAL	B	75
KAJ - 1017	B125	600X600	680X680	75	SINGLE SEAL	B	80
KAJ - 1018	D400	600X600	700X700	100	SINGLE SEAL	A	150
KAJ - 1019	A15	600X750	710X865	50	SINGLE SEAL	C	52
KAJ - 1020	A15	600X900	710X1000	50	SINGLE SEAL	C	70
KAJ - 1021	B125	600X900	710X1000	75	SINGLE SEAL	B	95
KAJ - 1022	D400	900X900	1065X1065	100	SINGLE SEAL	A	250

Special Markings  
available in  
English & Arabic

DRAINAGE

مجاري

WATER

مياه

ELECTRICAL

كهرباء


TELEPHONE

تلفون

1. Marking - Specification will be Cast as per requirement.
2. Badge - Shall be provided as per Buyer's requirement.
3. Design may vary at the time of supply due to change of pattern / change of design.
4. Black Bitumen coated products unless otherwise mentioned.
5. Products available in both cast iron & ductile iron.

# KAJ

## CAST IRON DOUBLE SEAL SOLID TOP MANHOLE COVER & FRAME AS PER BS-EN 124 OR BS-497-76 SPECIFICATION



PRODUCT CODE	GRADE AS PER BS-EN124	CLEAR OPENING A (MM)	OVERALL BASE B (MM)	HEIGHT C (MM)	SEAL TYPE	GRADE AS PER BS-497-	APPX. WEIGHT KG ±5%
KAJ -1023	A15	300X300	410X410	35	DOUBLE SEAL	C	20
KAJ -1024	B125	300X300	410X410	40	DOUBLE SEAL	B	28
KAJ -1025	C250	300X300	450X450	75	DOUBLE SEAL	A	45
KAJ -1026	A15	450X450	600X600	40	DOUBLE SEAL	C	38
KAJ -1027	A15	450X450	600X600	50	DOUBLE SEAL	C	45
KAJ -1028	B125	450X450	630X630	75	DOUBLE SEAL	B	70
KAJ -1029	C250	450X450	630X630	85	DOUBLE SEAL	A	90
KAJ -1030	A15	450X450	630X785	40	DOUBLE SEAL	C	45
KAJ -1031	A15	600X600	760X760	45	DOUBLE SEAL	C	50
KAJ -1032	A15	600X600	760X760	45	DOUBLE SEAL	C	60
KAJ -1033	B125	600X600	760X760	50	DOUBLE SEAL	B	75
KAJ -1034	B125	600X600	755X755	75	DOUBLE SEAL	B	90
KAJ -1035	B125	600X600	800X800	75	DOUBLE SEAL	B	110
KAJ -1036	B125	600X600	800X800	75	DOUBLE SEAL	B	120
KAJ -1037	C250	600X600	800X800	80	DOUBLE SEAL	A	140
KAJ -1038	C250	600X600	800X800	80	DOUBLE SEAL	A	165
KAJ -1039	D400	600X600	840X840	100	DOUBLE SEAL	A	210
KAJ -1040	A15	600X750	760X910	45	DOUBLE SEAL	C	90
KAJ -1041	A15	600X900	760X1060	45	DOUBLE SEAL	C	130
KAJ -1042	A15	800X800	980X980	40	DOUBLE SEAL	C	100
KAJ -1043	D400	800X800	1000X1000	80	DOUBLE SEAL	A	230
KAJ -1044	B125	900X900	1100X1100	40	DOUBLE SEAL	B	145

Special Markings  
available in  
English & Arabic

DRAINAGE

مجاري

WATER

مياه

ELECTRICAL

كهرباء





TELEPHONE

تلفون

1. Marking - Specification will be Cast as per requirement.
2. Badge - Shall be provided as per Buyer's requirement.
3. Design may vary at the time of supply due to change of pattern / change of design.
4. Black Bitumen coated products unless otherwise mentioned.
5. Products available in both cast iron & ductile iron.

# KAJ

RECESSED COVER & FLAME AS PER  
BS-EN124 OR BS-497-76 SPECIFICATION



PRODUCT CODE	GRADE AS PER BS-EN124	CLEAR OPENING A (MM)	OVERALL BASE B (MM)	HEIGHT C (MM)	SEAL TYPE	GRADE AS PER BS-497-76	RECESS DEPTH MM	FOR / TYPE	APPX.WEIGHT KG ±5%
KAJ - 1066	B125	300X300	455X455	65	DOUBLE SEAL	B	40	TILE	30
KAJ - 1067	B125	300X300	455X455	95	DOUBLE SEAL	B	70	INTER LOCK	36
KAJ - 1068	D400	300X300	455X455	95	DOUBLE SEAL	A	70	INTER LOCK	50
KAJ - 1069	B125	450X450	600X600	75	DOUBLE SEAL	B	40	TILE	45
KAJ - 1070	B125	450X450	610X610	90	DOUBLE SEAL	B	70	INTER LOCK	55
KAJ - 1071	D400	600X600	610X610	90	DOUBLE SEAL	A	70	INTER LOCK	80
KAJ - 1072	B125	600X600	750X750	75	DOUBLE SEAL	B	40	TILE	70
KAJ - 1073	B125	600X600	760X760	90	DOUBLE SEAL	B	70	INTER LOCK	75
KAJ - 1074	B125	600X600	765X765	90	DOUBLE SEAL	B	70	INTER LOCK	90
KAJ - 1075	D400	600X600	825X825	100	DOUBLE SEAL	A	80	INTER LOCK	110
KAJ - 1076	D400	600X600	825X825	100	DOUBLE SEAL	A	80	INTER LOCK	120
KAJ - 1077	D400	600X600	825X825	100	DOUBLE SEAL	A	80	INTER LOCK	140

1. Marking - Specification will be Cast as per requirement.
2. Badge - Shall be provided as per Buyer's requirement.
3. Design may vary at the time of supply due to change of pattern / change of design.
4. Black Bitumen coated products unless otherwise mentioned.
5. Products available in both cast iron & ductile iron.